

## CHRISTIAN

[County Base Map](#)

(Records are Sorted by Township, Range, and Section)

**LOG ID:**  
**025826**

WELL TYPE  
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	861FT
		25N	18W	33		
<u>DRILL DEPTH:</u>	1,805FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				507,890.29	4,073,930.10
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

**LOG ID:**  
**028234**

WELL TYPE  
Noncommunity Public Well

<u>DRILL DATE:</u>	1978/11/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,293FT
		25N	20W	34		
<u>DRILL DEPTH:</u>	650FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				490,034.26	4,075,734.16
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	NO DATA OTHER THAN FORMATION TOPS; SCANNED			

**LOG ID:**  
**021065**

WELL TYPE  
Noncommunity Public Well

<u>DRILL DATE:</u>	1962/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,244FT
		25N	21W	26		
<u>DRILL DEPTH:</u>	510FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				481,367.25	4,076,474.20
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	289 FT	<u>REMARKS:</u>	OUTDOOR CHRISTIAN EDUCATON; CHESTNUT RIDGE			

**LOG ID:**  
**028958**

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>	2003/02/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,240FT
		25N	21W	26		
<u>DRILL DEPTH:</u>	1,400FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					481,272.25	4,076,484.20
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****028980**WELL TYPE

Community Public Well

DRILL DATE: 2002/03/ TOWNSHIP 25N RANGE 21W SECTION 34 ELEVATION: 1,160FT  
DRILL DEPTH: 805FT UTM X 479,832.26 UTM Y 4,074,742.21  
DEPTH TO BED: ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):

**LOG ID:****028233**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 25N RANGE 21W SECTION 6 ELEVATION: 1,340FT  
DRILL DEPTH: 620FT UTM X 475,042.19 UTM Y 4,083,299.23  
DEPTH TO BED: 30FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: SCANNED ONLY; ONLY A FEW TOPS  
S.W.L. (AFTER CASING):

**LOG ID:****003594**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1936/05/05 TOWNSHIP 25N RANGE 22W SECTION 13 ELEVATION: 1,360FT  
DRILL DEPTH: 620FT UTM X 473,554.19 UTM Y 4,079,737.25  
DEPTH TO BED: 100FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI S OF SPOKANE ON HWY 65 (160) - Driller's Log Attached  
S.W.L. (AFTER CASING): 285

**LOG ID:****028799**WELL TYPE

Community Public Well

DRILL DATE: 1994/11/01 TOWNSHIP 25N RANGE 22W SECTION 13 ELEVATION: 1,320FT  
DRILL DEPTH: 1,002FT UTM X 474,358.20 UTM Y 4,079,500.24  
DEPTH TO BED: 25FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: UTMX = 474,420.85; UTM Y = 4,079,144.23  
S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****028775**WELL TYPE

Private Well

DRILL DATE: 1981/10/06TOWNSHIPRANGESECTIONELEVATION:

1,345FT

DRILL DEPTH: 647FT

25N

22W

23

DEPTH TO BED: 165FTUTM XUTM Y

472,614.18

4,078,840.26

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: UTMX = 472,706,21; UTM Y = 4,078,391.96S.W.L. (AFTER CASING):**LOG ID:****020655**WELL TYPE

Private Well

DRILL DATE: 1961/07/13TOWNSHIPRANGESECTIONELEVATION:

1,318FT

DRILL DEPTH: 566FT

25N

22W

24

DEPTH TO BED: 5FTUTM XUTM Y

474,210.20

4,078,394.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 246**LOG ID:****015248**WELL TYPE

Private Well

DRILL DATE: 1956/00/00TOWNSHIPRANGESECTIONELEVATION:

1,345FT

DRILL DEPTH: 375FT

25N

22W

34

DEPTH TO BED: 65FTUTM XUTM Y

470,423.18

4,075,961.28

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI E OF JCT OF HWYS 44 & 65.S.W.L. (AFTER CASING): 205**LOG ID:****027833**WELL TYPE

Private Well

DRILL DATE: 1971/02/16TOWNSHIPRANGESECTIONELEVATION:

1,330FT

DRILL DEPTH: 465FT

26N

19W

20

DEPTH TO BED: 25FTUTM XUTM Y

496,424.28

4,087,873.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: APPROX 1 MI E OF CHADWICK; NO LITHOLOGY OR RESIDUE;  
TOPS ONLYS.W.L. (AFTER CASING): 270



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****021858**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1963/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,345FT
<u>DRILL DEPTH:</u>	1,210FT	26N	19W	30		
<u>DEPTH TO BED:</u>	60FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	307	FT			494,834.27	4,086,617.13
<u>S.W.L. (AFTER CASING):</u>	299	FT			ZONE 15	

REMARKS:

**LOG ID:****003917**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,310FT
<u>DRILL DEPTH:</u>	375FT	26N	19W	6		
<u>DEPTH TO BED:</u>	135FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			494,220.28	4,093,208.12
<u>S.W.L. (AFTER CASING):</u>	140				ZONE 15	

REMARKS: 1 MI E OF SPARTA, S 1 MI

**LOG ID:****025219**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,425FT
<u>DRILL DEPTH:</u>	630FT	26N	20W	1		
<u>DEPTH TO BED:</u>	20FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			492,826.27	4,092,858.13
<u>S.W.L. (AFTER CASING):</u>	310				ZONE 15	

REMARKS: 2 MI S OF SPARTA ON HWY PP, W SIDE

**LOG ID:****012820**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/08/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,011FT
<u>DRILL DEPTH:</u>	555FT	26N	20W	28		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					487,869.25	4,085,955.16
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS: WELL FLOWS; 10 MI SE OF OZARK, ON BULL CREEK

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****005338**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1938/12/01TOWNSHIP

26N

RANGE

20W

SECTION

7

ELEVATION:

1,380FT

DRILL DEPTH: 817FTUTM XUTM YDEPTH TO BED: 50FT

485,192.23

4,090,497.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****008942**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/12/27TOWNSHIP

26N

RANGE

20W

SECTION

7

ELEVATION:DRILL DEPTH: 220FTUTM XUTM YDEPTH TO BED: 35FT

485,092.23

4,091,157.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: BAIN-PAGE LEASES.W.L. (AFTER CASING):**LOG ID:****008949**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1944/01/15TOWNSHIP

26N

RANGE

20W

SECTION

7

ELEVATION:

1,417FT

DRILL DEPTH: 200FTUTM XUTM YDEPTH TO BED: 22FT

485,092.23

4,091,157.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: US Bureau of MinesS.W.L. (AFTER CASING):**LOG ID:****024990**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP

26N

RANGE

20W

SECTION

9

ELEVATION:

1,362FT

DRILL DEPTH: 460FTUTM XUTM YDEPTH TO BED: 40FT

487,797.24

4,091,356.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****002202**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1927/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,383FT
<u>DRILL DEPTH:</u>	318FT	26N	21W	19		
<u>DEPTH TO BED:</u>	80FT				<u>UTM X</u>	<u>UTM Y</u>
					474,755.16	4,087,587.24
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	LANE MAPLE SERVICE STATION, HIGHLANDVILLE - Driller's Log			
<u>S.W.L. (AFTER CASING):</u>	153		Attached			

**LOG ID:****027061**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1972/02/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,376FT
<u>DRILL DEPTH:</u>	1,195FT	26N	21W	19		
<u>DEPTH TO BED:</u>	60FT				<u>UTM X</u>	<u>UTM Y</u>
					475,477.17	4,087,445.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	JUST N OF HIGHLANDVILLE			
<u>S.W.L. (AFTER CASING):</u>	286					

**LOG ID:****028798**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1982/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,360FT
<u>DRILL DEPTH:</u>	1,285FT	26N	21W	19		
<u>DEPTH TO BED:</u>	50FT				<u>UTM X</u>	<u>UTM Y</u>
					475,355.17	4,088,163.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	265	<u>REMARKS:</u>	formerly in name of Highlandville PWD#2 - UTMX = 475,421.59; UTM Y			
<u>S.W.L. (AFTER CASING):</u>	FT		= 4,087,938.53			

**LOG ID:****008971**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1944/01/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,255FT
<u>DRILL DEPTH:</u>	221FT	26N	21W	2		
<u>DEPTH TO BED:</u>	55FT				<u>UTM X</u>	<u>UTM Y</u>
					481,536.20	4,093,323.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	BIG WINDY RUN MINE; 62' S & 28' E OF LSHAFT			
<u>S.W.L. (AFTER CASING):</u>						



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****009969**WELL TYPE

Private Well

DRILL DATE: 1947/04/04TOWNSHIPRANGESECTIONELEVATION:

1,305FT

DRILL DEPTH: 341FT

26N

21W

27

DEPTH TO BED: 50FTUTM XUTM Y

479,895.22

4,086,200.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 160**LOG ID:****008126**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIPRANGESECTIONELEVATION:

1,342FT

DRILL DEPTH: 125FT

26N

21W

30

DEPTH TO BED: 105FTUTM XUTM Y

474,721.16

4,087,308.24

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR COMPLETION DATA; MINERAL TEST ?; AT  
HIGHLANDVILLES.W.L. (AFTER CASING):**LOG ID:****027702**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,322FT

DRILL DEPTH: 490FT

26N

21W

34

DEPTH TO BED: 125FTUTM XUTM Y

480,250.22

4,085,592.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SAMPLES NOT LOGGED, NO FORMATIONS IDENTIFIED; 10 MI S  
OF OZARKS.W.L. (AFTER CASING): 215**LOG ID:****009970**WELL TYPE

Private Well

DRILL DATE: 1947/02/15TOWNSHIPRANGESECTIONELEVATION:

1,310FT

DRILL DEPTH: 345FT

26N

21W

4

DEPTH TO BED: 40FTUTM XUTM Y

478,413.19

4,092,517.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 5.5 GPMS.W.L. (AFTER CASING): 160



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****028777**WELL TYPE

Community Public Well

DRILL DATE: 1989/05/01TOWNSHIPRANGESECTIONELEVATION:

1,205FT

DRILL DEPTH: 810FT

26N

22W

11

DEPTH TO BED: 40FTUTM XUTM Y

472,457.10

4,092,353.26

ZONE 15

S.W.L. (BEFORE CASING): 200REMARKS: UTMX = 472,502.8; UTM Y = 4,092,118.4S.W.L. (AFTER CASING): FT**LOG ID:****028784**WELL TYPE

Community Public Well

DRILL DATE: 1990/02/01TOWNSHIPRANGESECTIONELEVATION:

1,325FT

DRILL DEPTH: 355FT

26N

22W

13

DEPTH TO BED: 30FTUTM XUTM Y

474,231.15

4,089,240.24

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: UTMX = 474,296.1; UTM Y = 4,088,943.9S.W.L. (AFTER CASING):**LOG ID:****016594**WELL TYPE

Private Well

DRILL DATE: 1957/06/28TOWNSHIPRANGESECTIONELEVATION:

1,122FT

DRILL DEPTH: 155FT

26N

22W

2

DEPTH TO BED: 30FTUTM XUTM Y

472,190.09

4,093,037.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 55**LOG ID:****025481**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1968/01/17TOWNSHIPRANGESECTIONELEVATION:

1,295FT

DRILL DEPTH: 1,980FT

27N

18W

18

DEPTH TO BED: 20FTUTM XUTM Y

503,935.32

4,099,409.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SAMPLED FROM CORE CHIPSS.W.L. (AFTER CASING):





# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****027848**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,504FT

DRILL DEPTH:

445FT

27N

18W

31

UTM XUTM YDEPTH TO BED:

15FT

504,552.33

4,094,500.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):**LOG ID:****006607**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1940/12/01

TOWNSHIPRANGESECTIONELEVATION:

1,448FT

DRILL DEPTH:

186FT

27N

19W

12

UTM XUTM YDEPTH TO BED:

65FT

502,446.31

4,100,009.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):**LOG ID:****010174**WELL TYPE

Private Well

DRILL DATE:

1947/05/06

TOWNSHIPRANGESECTIONELEVATION:

1,428FT

DRILL DEPTH:

180FT

27N

19W

22

UTM XUTM YDEPTH TO BED:

45FT

498,948.30

4,097,430.10

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

85

**LOG ID:****025086**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1967/08/01

TOWNSHIPRANGESECTIONELEVATION:

1,359FT

DRILL DEPTH:

828FT

27N

20W

10

UTM XUTM YDEPTH TO BED:

55FT

489,981.23

4,100,701.13

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

LINDENLURE LAKE; NO PRODUCTION DATA

S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**025125**

WELL TYPE  
Private Well

DRILL DATE: 1967/00/00 TOWNSHIP 27N RANGE 20W SECTION 12 ELEVATION: 1,350FT  
DRILL DEPTH: 498FT UTM X 493,589.26 UTM Y 4,099,940.12  
DEPTH TO BED: 50FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION DATA; 6 MI S OF ROGERSVILLE, E OF LINDEN  
S.W.L. (AFTER CASING):

**LOG ID:**  
**004588**

WELL TYPE  
Private Well

DRILL DATE: 1937/10/01 TOWNSHIP 27N RANGE 20W SECTION 16 ELEVATION: 1,286FT  
DRILL DEPTH: 420FT UTM X 488,483.22 UTM Y 4,099,063.14  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI S OF LINDEN; 6 MI E AND LITTLE N OF OZARK  
S.W.L. (AFTER CASING): 100

**LOG ID:**  
**009675**

WELL TYPE  
Private Well

DRILL DATE: TOWNSHIP 27N RANGE 20W SECTION 16 ELEVATION: 1,275FT  
DRILL DEPTH: 245FT UTM X 488,283.22 UTM Y 4,099,063.14  
DEPTH TO BED: 25FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: OZARK  
S.W.L. (AFTER CASING): 125

**LOG ID:**  
**026673**

WELL TYPE  
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1968/12/ TOWNSHIP 27N RANGE 20W SECTION 18 ELEVATION: 1,161FT  
DRILL DEPTH: 1,931FT UTM X 485,438.20 UTM Y 4,099,065.15  
DEPTH TO BED: 5FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: ALSO LOGGED AS #27500 (1025-1930') & #28471 (615-1020')  
S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****027500**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1968/12/ TOWNSHIP 27N RANGE 20W SECTION 18 ELEVATION: 1,161FT  
DRILL DEPTH: 1,931FT UTM X 485,438.20 UTM Y 4,099,065.15  
DEPTH TO BED: 5FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: SEE ALSO LOG #26673 AND #28471 FOR COMPLETE LOG  
S.W.L. (AFTER CASING):

**LOG ID:****028471**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1968/12/ TOWNSHIP 27N RANGE 20W SECTION 18 ELEVATION: 1,161FT  
DRILL DEPTH: 1,931FT UTM X 485,438.20 UTM Y 4,099,065.15  
DEPTH TO BED: ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: SEE LOG #26673 and #27500  
S.W.L. (AFTER CASING):

**LOG ID:****006541**WELL TYPE

Private Well

DRILL DATE: 1940/00/00 TOWNSHIP 27N RANGE 20W SECTION 25 ELEVATION: 1,410FT  
DRILL DEPTH: 410FT UTM X 493,177.27 UTM Y 4,095,803.13  
DEPTH TO BED: 360FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: OLD WELL DEEPEMED 360-410'; IN SPARTA; NO PRODUCTION OF  
S.W.L. (AFTER CASING): COMPLETION DAT

**LOG ID:****007224**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1941/00/00 TOWNSHIP 27N RANGE 20W SECTION 25 ELEVATION: 1,398FT  
DRILL DEPTH: 902FT UTM X 492,877.27 UTM Y 4,095,489.13  
DEPTH TO BED: 65FT ZONE 15  
S.W.L. (BEFORE CASING): 160 FT REMARKS: OLD WELL (#7224) DEEPEMED (SEE LOG #11143)  
S.W.L. (AFTER CASING): 190 FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****011143**WELL TYPE

Private Well

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

1,398FT

DRILL DEPTH: 902FT

27N

20W

25

DEPTH TO BED: 65FTUTM XUTM Y

492,877.27

4,095,489.13

ZONE 15

S.W.L. (BEFORE CASING): 160 FTREMARKS: OLD WELL (#7224) DEEPENED 545-902 (1949)S.W.L. (AFTER CASING): 190 FT**LOG ID:****015195**WELL TYPE

Private Well

DRILL DATE: 1956/03/12TOWNSHIPRANGESECTIONELEVATION:

1,406FT

DRILL DEPTH: 500FT

27N

20W

25

DEPTH TO BED: 220FTUTM XUTM Y

492,677.27

4,095,071.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NO SAMPLES TO 220'S.W.L. (AFTER CASING): 150**LOG ID:****020160**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961/07/27TOWNSHIPRANGESECTIONELEVATION:

1,430FT

DRILL DEPTH: 445FT

27N

20W

25

DEPTH TO BED: 25FTUTM XUTM Y

493,877.27

4,095,071.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI E OF SPARTA AT JCT HWYS 125 & 14; YIELD - 15 GPM @ 400'.S.W.L. (AFTER CASING): 270**LOG ID:****028179**WELL TYPE

Community Public Well

DRILL DATE: 1978/04/29TOWNSHIPRANGESECTIONELEVATION:

1,398FT

DRILL DEPTH: 1,395FT

27N

20W

25

DEPTH TO BED: 50FTUTM XUTM Y

492,816.27

4,095,318.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NO LOG BELOW 1000'; NO LITHOLOGIES, JUST TOPS.S.W.L. (AFTER CASING): 304



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****011832**WELL TYPE

Private Well

DRILL DATE: 1951/06/18TOWNSHIPRANGESECTIONELEVATION:

1,348FT

DRILL DEPTH: 290FT

27N

20W

26

DEPTH TO BED: 80FTUTM XUTM Y

491,654.26

4,096,558.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 180**LOG ID:****014181**WELL TYPE

Private Well

DRILL DATE: 1955/08/18TOWNSHIPRANGESECTIONELEVATION:

1,418FT

DRILL DEPTH: 465FT

27N

20W

26

DEPTH TO BED: 315FTUTM XUTM Y

492,254.26

4,095,736.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPEMED 313-465'S.W.L. (AFTER CASING): 180**LOG ID:****006538**WELL TYPE

Private Well

DRILL DATE: 1940/00/00TOWNSHIPRANGESECTIONELEVATION:

1,360FT

DRILL DEPTH: 310FT

27N

20W

32

DEPTH TO BED: 147FTUTM XUTM Y

486,165.22

4,095,077.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPEMED 147-310, REDRILLED TO 425 IN 1942S.W.L. (AFTER CASING): 175**LOG ID:****005126**WELL TYPE

Private Well

DRILL DATE: 1938/09/01TOWNSHIPRANGESECTIONELEVATION:

1,405FT

DRILL DEPTH: 370FT

27N

20W

36

DEPTH TO BED: 40FTUTM XUTM Y

492,849.27

4,094,909.13

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Dr. Wise - IN E PART OF SPARTAS.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****019296**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1960/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,423FT
<u>DRILL DEPTH:</u>	1,100FT	27N	20W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				492,679.27	4,094,668.13
<u>S.W.L. (BEFORE CASING):</u>	265	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	269	FT				

REMARKS: 550' S OF CITY LIMITS, 360' W OF HWY PP

**LOG ID:****027033**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1971/07/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,403FT
<u>DRILL DEPTH:</u>	535FT	27N	20W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				492,617.27	4,094,590.13
<u>S.W.L. (BEFORE CASING):</u>	120	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	180	FT				

REMARKS: COULD BE ROLLING ACRES TP; ALIAS #504821

**LOG ID:****009383**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1946/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,332FT
<u>DRILL DEPTH:</u>	250FT	27N	20W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				488,354.21	4,101,897.14
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	150					

REMARKS: ABT 1 MI N OF LINDENLURE

**LOG ID:****009173**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1946/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,265FT
<u>DRILL DEPTH:</u>	550FT	27N	20W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				488,313.22	4,100,470.14
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	110					

REMARKS: LINDENLURE



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****006542**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/11/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,221FT
<u>DRILL DEPTH:</u>	205FT	27N	21W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				481,768.18	4,099,278.16
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA			

**LOG ID:****019728**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1960/08/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,256FT
<u>DRILL DEPTH:</u>	400FT	27N	21W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				481,368.18	4,098,664.17
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	YIELD - 15 GPM @ 240'; ST. JOSEPH THE WORKER CATHOLIC			
<u>S.W.L. (AFTER CASING):</u>	145		CHURCH			

**LOG ID:****016627**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/07/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,335FT
<u>DRILL DEPTH:</u>	430FT	27N	21W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				480,955.17	4,099,128.17
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI N OF OZARK ON HWY 65			
<u>S.W.L. (AFTER CASING):</u>	185					

**LOG ID:****019138**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960/06/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,331FT
<u>DRILL DEPTH:</u>	432FT	27N	21W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				481,155.17	4,099,128.17
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI N OF OZARK ON HWY 65			
<u>S.W.L. (AFTER CASING):</u>	190					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**021255**

WELL TYPE  
Private Well

DRILL DATE: 1962/06/13 TOWNSHIP 27N RANGE 21W SECTION 15 ELEVATION: 1,339FT  
DRILL DEPTH: 450FT UTM X 481,155.17 UTM Y 4,099,128.17  
DEPTH TO BED: 25FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI N OF OZARK ON HWY NN  
S.W.L. (AFTER CASING): 185

**LOG ID:**  
**003534**

WELL TYPE  
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1936/02/25 TOWNSHIP 27N RANGE 21W SECTION 19 ELEVATION: 1,186FT  
DRILL DEPTH: 130FT UTM X 475,269.12 UTM Y 4,097,638.22  
DEPTH TO BED: 45FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):

**LOG ID:**  
**004410**

WELL TYPE  
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/09/01 TOWNSHIP 27N RANGE 21W SECTION 19 ELEVATION: 1,180FT  
DRILL DEPTH: 200FT UTM X 475,069.12 UTM Y 4,097,461.22  
DEPTH TO BED: ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: 1.5 MI SE OF NIXA  
S.W.L. (AFTER CASING):

**LOG ID:**  
**004471**

WELL TYPE  
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/09/01 TOWNSHIP 27N RANGE 21W SECTION 19 ELEVATION: 1,187FT  
DRILL DEPTH: 150FT UTM X 475,069.12 UTM Y 4,097,461.22  
DEPTH TO BED: 5FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: 50 FT SW OF #1; ON BATTLEFIELD (REPUBLIC) FAULT  
S.W.L. (AFTER CASING):





# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****004502**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/10/01TOWNSHIP RANGE SECTIONELEVATION: 1,191FTDRILL DEPTH: 200FT

27N 21W 19

DEPTH TO BED:UTM X UTM Y  
474,969.11 4,097,372.22  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 1.5 MI S OF NIXAS.W.L. (AFTER CASING):**LOG ID:****004503**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/10/01TOWNSHIP RANGE SECTIONELEVATION: 1,191FTDRILL DEPTH: 150FT

27N 21W 19

DEPTH TO BED: 5FTUTM X UTM Y  
474,969.11 4,097,372.22  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: ON BATTLEFIELD (REPUBLIC) FAULT; COMPARE WITH #4410,  
4471, 4566, ETC.S.W.L. (AFTER CASING):**LOG ID:****004566**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/11/01TOWNSHIP RANGE SECTIONELEVATION: 1,215FTDRILL DEPTH: 195FT

27N 21W 19

DEPTH TO BED: 50FTUTM X UTM Y  
475,069.12 4,097,461.22  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 1.5 MI SE OF NIXA; ON REPUBLIC (BATTLEFIELD) FAULTS.W.L. (AFTER CASING):**LOG ID:****004567**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/11/01TOWNSHIP RANGE SECTIONELEVATION: 1,190FTDRILL DEPTH: 140FT

27N 21W 19

DEPTH TO BED: 5FTUTM X UTM Y  
475,069.12 4,097,461.22  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 1.5 MI SE OF NIXA, 40' SE OF HOLE #2; ON REPUBLIC  
(BATTLEFIELD) FAULTS.W.L. (AFTER CASING):

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**
**009121**
**WELL TYPE**

Exploratory Hole (Mineral Prospect)

**DRILL DATE:**
**TOWNSHIP**
**RANGE**
**SECTION**
**ELEVATION:**

1,180FT

**DRILL DEPTH:**

198FT

27N

21W

19

**DEPTH TO BED:**

40FT

**UTM X**
**UTM Y**

474,969.11

4,097,372.22

ZONE 15

**S.W.L. (BEFORE CASING):**
**REMARKS:**
**S.W.L. (AFTER CASING):**
**LOG ID:**
**009122**
**WELL TYPE**

Exploratory Hole (Mineral Prospect)

**DRILL DATE:**
**TOWNSHIP**
**RANGE**
**SECTION**
**ELEVATION:**

1,186FT

**DRILL DEPTH:**

133FT

27N

21W

19

**DEPTH TO BED:**

5FT

**UTM X**
**UTM Y**

475,669.12

4,097,992.21

ZONE 15

**S.W.L. (BEFORE CASING):**
**REMARKS:**
**S.W.L. (AFTER CASING):**
**LOG ID:**
**024989**
**WELL TYPE**

Exploratory Hole (Mineral Prospect)

**DRILL DATE:**
**TOWNSHIP**
**RANGE**
**SECTION**
**ELEVATION:**

1,202FT

**DRILL DEPTH:**

1,855FT

27N

21W

19

**DEPTH TO BED:**

5FT

**UTM X**
**UTM Y**

475,169.12

4,097,726.22

ZONE 15

**S.W.L. (BEFORE CASING):**
**REMARKS:**
**S.W.L. (AFTER CASING):**
**LOG ID:**
**010173**
**WELL TYPE**

Private Well

**DRILL DATE:**

1947/03/15

**TOWNSHIP**
**RANGE**
**SECTION**
**ELEVATION:**

1,165FT

**DRILL DEPTH:**

225FT

27N

21W

21

**DEPTH TO BED:**

30FT

**UTM X**
**UTM Y**

478,108.16

4,097,381.18

ZONE 15

**S.W.L. (BEFORE CASING):**

FT

**REMARKS:**

 2 MI W OF OZARK ON HWY 14 AT N EDGE OF CEMETARY SW  
SIDE OF RD

**S.W.L. (AFTER CASING):**

65



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****007797**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1942/06/14TOWNSHIP RANGE SECTIONELEVATION: 1,110FTDRILL DEPTH: 635FT

27N 21W 22

DEPTH TO BED: 10FTUTM X UTM Y  
481,113.18 4,097,712.17  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: FLOWS; 0.5 MI SW OF HWY 65 BRIDGE ON W CITY LIMITSS.W.L. (AFTER CASING):**LOG ID:****008143**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIP RANGE SECTIONELEVATION: 1,203FTDRILL DEPTH: 290FT

27N 21W 22

DEPTH TO BED: 10FTUTM X UTM Y  
479,913.17 4,098,536.17  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 3 MI NW OF OZARKS.W.L. (AFTER CASING): 60**LOG ID:****023454**WELL TYPE

Community Public Well

DRILL DATE: 1965/01/09TOWNSHIP RANGE SECTIONELEVATION: 1,152FTDRILL DEPTH: 1,150FT

27N 21W 22

DEPTH TO BED: 20FTUTM X UTM Y  
479,841.17 4,097,572.18  
ZONE 15S.W.L. (BEFORE CASING): 15 FTREMARKS: THEIR #2S.W.L. (AFTER CASING): 2 FT**LOG ID:****023697**WELL TYPE

Community Public Well

DRILL DATE: 1965/07/22TOWNSHIP RANGE SECTIONELEVATION: 1,135FTDRILL DEPTH: 1,137FT

27N 21W 22

DEPTH TO BED: 85FTUTM X UTM Y  
479,855.17 4,097,305.18  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: INDUSTRIAL PARK; THEIR #3; FLOWING, NO DD OR SWL; POOR  
SAMPLESS.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**025205**

WELL TYPE  
Industrial High Capacity Well

DRILL DATE: 1967/10/01 TOWNSHIP 27N RANGE 21W SECTION 22 ELEVATION: 1,115FT  
DRILL DEPTH: 755FT UTM X 481,113.18 UTM Y 4,097,506.17  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: OZARK  
S.W.L. (AFTER CASING):

**LOG ID:**  
**002236**

WELL TYPE  
Community Public Well

DRILL DATE: 1929// TOWNSHIP 27N RANGE 21W SECTION 23 ELEVATION: 1,175FT  
DRILL DEPTH: 440FT UTM X 481,741.18 UTM Y 4,097,453.17  
DEPTH TO BED: 30FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: SWL ROSE FROM 35' TO 14' WHEN WELL #2 WAS COMPLETED  
S.W.L. (AFTER CASING): 35 (#7721) TO GUNTER.

**LOG ID:**  
**007721**

WELL TYPE  
Community Public Well

DRILL DATE: 1942/04/22 TOWNSHIP 27N RANGE 21W SECTION 23 ELEVATION: 1,184FT  
DRILL DEPTH: 1,151FT UTM X 481,798.19 UTM Y 4,097,066.17  
DEPTH TO BED: 27FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: (SEE #2236, #1), ON SYCAMORE ST S OF COURT HOUSE  
S.W.L. (AFTER CASING): 30

**LOG ID:**  
**028707**

WELL TYPE  
Community Public Well

DRILL DATE: 1988/03/28 TOWNSHIP 27N RANGE 21W SECTION 23 ELEVATION: 1,217FT  
DRILL DEPTH: 1,250FT UTM X 482,422.19 UTM Y 4,097,981.17  
DEPTH TO BED: 35FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION ON CONSTRUCTION DATA  
S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****023276**WELL TYPE

Private Well

DRILL DATE: 1964/00/00TOWNSHIPRANGESECTIONELEVATION:

1,351FT

DRILL DEPTH: 690FT

27N

21W

25

DEPTH TO BED: 35FTUTM XUTM Y

483,441.20

4,096,706.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 210**LOG ID:****026932**WELL TYPE

Community Public Well

DRILL DATE: 1971/08/01TOWNSHIPRANGESECTIONELEVATION:

1,342FT

DRILL DEPTH: 1,375FT

27N

21W

26

DEPTH TO BED: 50FTUTM XUTM Y

481,984.20

4,095,467.18

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 228**LOG ID:****028776**WELL TYPE

Community Public Well

DRILL DATE: 1997/05/01TOWNSHIPRANGESECTIONELEVATION:

1,330FT

DRILL DEPTH: 1,400FT

27N

21W

26

DEPTH TO BED:UTM XUTM Y

482,516.20

4,095,417.18

ZONE 15

S.W.L. (BEFORE CASING): 200 FTREMARKS: near Hwy 65 South & Hwy 14 EastS.W.L. (AFTER CASING): 189 FT**LOG ID:****004587**WELL TYPE

Private Well

DRILL DATE: 1937/10/01TOWNSHIPRANGESECTIONELEVATION:

1,276FT

DRILL DEPTH: 350FT

27N

21W

28

DEPTH TO BED: 15FTUTM XUTM Y

479,264.18

4,095,766.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2.5 MI SW OF OZARKS.W.L. (AFTER CASING): 150



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****021342**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,260FT

DRILL DEPTH:

777FT

27N

21W

28

DEPTH TO BED:

20FT

UTM XUTM Y

479,214.18

4,095,861.19

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

1.5 MI SW OF OZARK, 0.25 MI S OF HWY 14.

S.W.L. (AFTER CASING):**LOG ID:****007377**WELL TYPE

Private Well

DRILL DATE:

1941/00/00

TOWNSHIPRANGESECTIONELEVATION:

1,308FT

DRILL DEPTH:

424FT

27N

21W

3

DEPTH TO BED:

16FT

UTM XUTM Y

480,028.14

4,103,418.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

130

**LOG ID:****003807**WELL TYPE

Private Well

DRILL DATE:

1936/09/17

TOWNSHIPRANGESECTIONELEVATION:

1,288FT

DRILL DEPTH:

524FT

27N

21W

35

DEPTH TO BED:

100FT

UTM XUTM Y

481,279.20

4,093,821.18

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:1.5 MI S OF OZARK; SAMPLES IN 10-FT INTERVALS; POOR  
SAMPLESS.W.L. (AFTER CASING):

102

**LOG ID:****008969**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1943/12/02

TOWNSHIPRANGESECTIONELEVATION:

1,249FT

DRILL DEPTH:

252FT

27N

21W

35

DEPTH TO BED:

30FT

UTM XUTM Y

482,379.20

4,094,127.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****008970**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/09/17TOWNSHIPRANGESECTIONELEVATION:

1,223FT

DRILL DEPTH: 216FT

27N

21W

35

DEPTH TO BED:UTM XUTM Y

482,479.20

4,094,025.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028224**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,248FT

DRILL DEPTH: 1,365FT

27N

21W

4

DEPTH TO BED: 20FTUTM XUTM Y

479,331.14

4,102,441.15

ZONE 15

S.W.L. (BEFORE CASING): 196 FTREMARKS:formerly in name of Cassidy Water Company Well #3 - City of Ozark  
bought itS.W.L. (AFTER CASING): 171 FT**LOG ID:****026660**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1970/08/03TOWNSHIPRANGESECTIONELEVATION:

1,280FT

DRILL DEPTH: 1,245FT

27N

21W

5

DEPTH TO BED: 90FTUTM XUTM Y

477,791.13

4,102,291.16

ZONE 15

S.W.L. (BEFORE CASING): 90 FTREMARKS:5 MI N & 2 MI W OF OZARK; MISSISSIPPIAN SAMPLES MIXED -  
DON'T USES.W.L. (AFTER CASING): 165 FT**LOG ID:****017288**WELL TYPE

Private Well

DRILL DATE: 1958/06/11TOWNSHIPRANGESECTIONELEVATION:

1,250FT

DRILL DEPTH: 461FT

27N

22W

1

DEPTH TO BED: 25FTUTM XUTM Y

474,588.08

4,103,652.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

formerly in name of M.B. Smith

S.W.L. (AFTER CASING): 140

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**020446**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,292FT
		27N	22W	1		
<u>DRILL DEPTH:</u>	440FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				474,588.08	4,102,840.20
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**027828**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1975/01/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,274FT
		27N	22W	1		
<u>DRILL DEPTH:</u>	475FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				473,988.07	4,103,450.20
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	125					

**LOG ID:**  
**016614**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1957/04/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,288FT
		27N	22W	10		
<u>DRILL DEPTH:</u>	131FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				470,293.03	4,101,294.26
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 3 MI NW OF NIXA, 0.25 MI E OF UNION CHAPEL				
<u>S.W.L. (AFTER CASING):</u>	70					

**LOG ID:**  
**009774**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1946/11/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,270FT
		27N	22W	11		
<u>DRILL DEPTH:</u>	112FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				473,121.07	4,101,068.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 1.5 MI N, 0.25 MI W OF NIXA; BAILED 500 GPH				
<u>S.W.L. (AFTER CASING):</u>	80					





# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**012312**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1952/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,275FT
<u>DRILL DEPTH:</u>	400FT	27N	22W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				473,946.08	4,101,555.21
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	125					
<u>REMARKS:</u> 1 MI N OF NIXA ON HWY 123						

**LOG ID:**  
**027962**

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,309FT
<u>DRILL DEPTH:</u>	1,670FT	27N	22W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				473,993.08	4,100,780.22
<u>S.W.L. (BEFORE CASING):</u>	68	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	175	FT				
<u>REMARKS:</u> SAMPLES SCANNED, NO CARBONATE LOGGED; POOR SAMPLES TO 450'						

**LOG ID:**  
**002327**

WELL TYPE  
Industrial High Capacity Well

<u>DRILL DATE:</u>	1930/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,275FT
<u>DRILL DEPTH:</u>	589FT	27N	22W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	490FT				473,597.08	4,099,511.23
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u> NO SAMPLES 0-490', 500-535'						

**LOG ID:**  
**003850**

WELL TYPE  
Industrial High Capacity Well

<u>DRILL DATE:</u>	1936/10/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,292FT
<u>DRILL DEPTH:</u>	1,282FT	27N	22W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				473,497.08	4,099,615.23
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100					
<u>REMARKS:</u>						



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****005822**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1939/12/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,292FT
<u>DRILL DEPTH:</u>	1,256FT	27N	22W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				473,497.08	4,099,615.23
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	168					
<u>REMARKS:</u>	200' S OF NIXA CHEESE WELL (#3850) - Driller's Log Attached					

**LOG ID:****007800**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1942/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,288FT
<u>DRILL DEPTH:</u>	1,252FT	27N	22W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				473,497.08	4,099,615.23
<u>S.W.L. (BEFORE CASING):</u>	60	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	190	FT				
<u>REMARKS:</u>						

**LOG ID:****009816**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1948/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,306FT
<u>DRILL DEPTH:</u>	1,251FT	27N	22W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				473,999.09	4,099,550.22
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u>						

**LOG ID:****027673**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,295FT
<u>DRILL DEPTH:</u>	1,640FT	27N	22W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				473,697.08	4,099,615.23
<u>S.W.L. (BEFORE CASING):</u>	151	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	225	FT				
<u>REMARKS:</u>						

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**009179**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1946/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,297FT
<u>DRILL DEPTH:</u>	120FT	27N	22W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				471,875.06	4,099,851.25
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

**LOG ID:**  
**028721**

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>	1992/12/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,285FT
<u>DRILL DEPTH:</u>	1,675FT	27N	22W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				471,979.06	4,099,978.25
<u>S.W.L. (BEFORE CASING):</u>	140 FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	240 FT	<u>REMARKS:</u>				

**LOG ID:**  
**009180**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1946/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,305FT
<u>DRILL DEPTH:</u>	325FT	27N	22W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				471,449.05	4,099,866.25
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

**LOG ID:**  
**010872**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1949/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,320FT
<u>DRILL DEPTH:</u>	405FT	27N	22W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				471,049.04	4,099,866.26
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	200	<u>REMARKS:</u>	1 MI W OF NIXA			



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**008138**

WELL TYPE  
Private Well

DRILL DATE: 1942/00/00 TOWNSHIP 27N RANGE 22W SECTION 19 ELEVATION: 1,220FT  
DRILL DEPTH: 250FT UTM X 466,318.98 UTM Y 4,097,483.33  
DEPTH TO BED: 50FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: ON JAMES RIVER 1 MI N & 1 MI E OF BOAZ  
S.W.L. (AFTER CASING): 100

**LOG ID:**  
**016916**

WELL TYPE  
Private Well

DRILL DATE: 1957/09/27 TOWNSHIP 27N RANGE 22W SECTION 2 ELEVATION: 1,267FT  
DRILL DEPTH: 175FT UTM X 473,365.06 UTM Y 4,103,694.21  
DEPTH TO BED: 35FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: YIELD 20 GPM @ 140'.  
S.W.L. (AFTER CASING): 125

**LOG ID:**  
**005467**

WELL TYPE  
Private Well

DRILL DATE: 1939/00/00 TOWNSHIP 27N RANGE 22W SECTION 20 ELEVATION: 1,228FT  
DRILL DEPTH: 150FT UTM X 466,952.99 UTM Y 4,097,679.32  
DEPTH TO BED: 45FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION DATA  
S.W.L. (AFTER CASING):

**LOG ID:**  
**013633**

WELL TYPE  
Private Well

DRILL DATE: 1955/04/01 TOWNSHIP 27N RANGE 22W SECTION 24 ELEVATION: 1,271FT  
DRILL DEPTH: 290FT UTM X 473,462.08 UTM Y 4,098,819.23  
DEPTH TO BED: 195FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 0.75 MI S & 0.25 MI W OF NIXA; MANY MISSING SAMPLES  
S.W.L. (AFTER CASING): 72



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****026764**WELL TYPE

Community Public Well

DRILL DATE: 1971/10/02TOWNSHIPRANGESECTIONELEVATION:

1,150FT

DRILL DEPTH: 750FT

27N

22W

24

DEPTH TO BED: 15FTUTM XUTM Y

474,362.11

4,097,365.23

ZONE 15

S.W.L. (BEFORE CASING): 71 FTREMARKS: POOR SAMPLESS.W.L. (AFTER CASING): 75 FT**LOG ID:****011875**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,289FT

DRILL DEPTH: 353FT

27N

22W

25

DEPTH TO BED: 35FTUTM XUTM Y

473,623.10

4,096,361.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of H.E. MartinS.W.L. (AFTER CASING): 175**LOG ID:****025163**WELL TYPE

Private Well

DRILL DATE: 1967/00/00TOWNSHIPRANGESECTIONELEVATION:

1,263FT

DRILL DEPTH: 565FT

27N

22W

28

DEPTH TO BED: 30FTUTM XUTM Y

469,340.03

4,096,230.29

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LOG # 25163 0-300', #25352 300'-565' TD. NO PRODUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****025352**WELL TYPE

Private Well

DRILL DATE: 1967/00/00TOWNSHIPRANGESECTIONELEVATION:

1,234FT

DRILL DEPTH:

27N

22W

28

DEPTH TO BED:UTM XUTM Y

469,340.03

4,096,230.29

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SEE LOG #25163S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****008145**WELL TYPE

Private Well

DRILL DATE: 1942/11/07TOWNSHIP RANGE SECTION

27N

22W

3

ELEVATION: 1,253FTDRILL DEPTH: 165FTUTM X UTM YDEPTH TO BED: 50FT

470,838.03 4,103,209.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 40 GPH (HOUR)S.W.L. (AFTER CASING): 97**LOG ID:****015244**WELL TYPE

Private Well

DRILL DATE: 1956/00/00TOWNSHIP RANGE SECTION

27N

22W

34

ELEVATION: 1,291FTDRILL DEPTH: 410FTUTM X UTM YDEPTH TO BED: 160FT

470,912.06 4,094,784.28

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPEMED 160-410', NO PRODUCTION OR  
CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****004919**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1938/06/01TOWNSHIP RANGE SECTION

27N

22W

4

ELEVATION: 1,285FTDRILL DEPTH: 290FTUTM X UTM YDEPTH TO BED: 30FT

470,106.02 4,102,735.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 115**LOG ID:****020242**WELL TYPE

Private Well

DRILL DATE: 1961/06/19TOWNSHIP RANGE SECTION

27N

22W

8

ELEVATION: 1,276FTDRILL DEPTH: 492FTUTM X UTM YDEPTH TO BED: 30FT

467,839.99 4,101,559.29

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 94

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**014733**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1956/03/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,309FT
<u>DRILL DEPTH:</u>	375FT	27N	22W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				469,263.01	4,102,164.27
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	0.25 MI NW OF UNION CHAPEL			
<u>S.W.L. (AFTER CASING):</u>	175				ZONE 15	

**LOG ID:**  
**019846**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1961/03/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,285FT
<u>DRILL DEPTH:</u>	396FT	27N	22W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				470,063.02	4,101,332.26
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	SKIPS - 55-90', 100-110', 155-180'			
<u>S.W.L. (AFTER CASING):</u>	198				ZONE 15	

**LOG ID:**  
**009588**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,303FT
<u>DRILL DEPTH:</u>	377FT	27N	23W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				460,267.88	4,100,655.39
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

**LOG ID:**  
**003810**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1936/08/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,368FT
<u>DRILL DEPTH:</u>	215FT	27N	23W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	170FT				456,640.83	4,099,401.44
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	1.25 MI W OF CLEVER			
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****006125**WELL TYPE

Private Well

DRILL DATE: 1940/05/01TOWNSHIPRANGESECTIONELEVATION:

1,378FT

DRILL DEPTH: 290FT

27N

23W

20

DEPTH TO BED: 40FTUTM XUTM Y

458,410.86

4,097,837.42

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: IN CLEVER; TD MAYBE 310', NO SAMPLES BELOW 290'S.W.L. (AFTER CASING):**LOG ID:****008146**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIPRANGESECTIONELEVATION:

1,368FT

DRILL DEPTH: 367FT

27N

23W

20

DEPTH TO BED: 30FTUTM XUTM Y

457,410.84

4,098,451.43

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1/8 MI W OF MAIN ST IN CLEVERS.W.L. (AFTER CASING):**LOG ID:****022871**WELL TYPE

Community Public Well

DRILL DATE: 1964/08/01TOWNSHIPRANGESECTIONELEVATION:

1,396FT

DRILL DEPTH: 1,300FT

27N

23W

20

DEPTH TO BED: 35FTUTM XUTM Y

457,806.85

4,098,367.43

ZONE 15

S.W.L. (BEFORE CASING): 280 FTREMARKS:S.W.L. (AFTER CASING): 257 FT**LOG ID:****028726**WELL TYPE

Community Public Well

DRILL DATE: 1994/03/25TOWNSHIPRANGESECTIONELEVATION:

1,340FT

DRILL DEPTH: 1,295FT

27N

23W

20

DEPTH TO BED:UTM XUTM Y

457,885.85

4,097,880.43

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: USE WITH CAUTIONS.W.L. (AFTER CASING):





# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003848**WELL TYPE

Private Well

DRILL DATE: 1936/08/10TOWNSHIP RANGE SECTION

27N

23W

29

ELEVATION: 1,374FTDRILL DEPTH: 535FTUTM XUTM YDEPTH TO BED: 220FT

458,559.86

4,097,038.42

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ABT 1 MI S OF CLEVER, 0.5 MI N OF MT. CARMEL CEMETARYS.W.L. (AFTER CASING):**LOG ID:****006289**WELL TYPE

Private Well

DRILL DATE: 1940/08/01TOWNSHIP RANGE SECTION

27N

23W

32

ELEVATION: 1,320FTDRILL DEPTH: 457FTUTM XUTM YDEPTH TO BED: 15FT

458,322.87

4,094,803.43

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2.5 MI S AND 0.5 MI W OF CLEVER; NO PRODUCTION OF  
CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****020804**WELL TYPE

Private Well

DRILL DATE: 1962/02/21TOWNSHIP RANGE SECTION

27N

23W

5

ELEVATION: 1,191FTDRILL DEPTH: 88FTUTM XUTM YDEPTH TO BED: 10FT

457,725.84

4,103,746.42

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5 MI SE OF REPUBLIC ON HWY PS.W.L. (AFTER CASING): 19**LOG ID:****026681**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1970/09/01TOWNSHIP RANGE SECTION

27N

23W

6

ELEVATION: 1,285FTDRILL DEPTH: 965FTUTM XUTM YDEPTH TO BED: 80FT

457,104.83

4,103,996.42

ZONE 15

S.W.L. (BEFORE CASING): 183REMARKS: 2 MI S OF REPUBLIC ON HWY PS.W.L. (AFTER CASING): FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****028766**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1997/05/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,205FT
<u>DRILL DEPTH:</u>	575FT	27N	23W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				459,314.86	4,101,257.40
<u>S.W.L. (BEFORE CASING):</u>	240				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					FT	
<u>REMARKS:</u> Owner is Terry Donnelson						

**LOG ID:****002564**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1932/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,364FT
<u>DRILL DEPTH:</u>	805FT	27N	24W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				451,110.75	4,102,221.49
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	150				FT	
<u>REMARKS:</u> NO SAMPLES LOGGED 295-590' - Driller's Log Attached						

**LOG ID:****010975**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1949/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	173FT	27N	24W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				455,059.80	4,101,990.45
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60				FT	
<u>REMARKS:</u> BILLINGS						

**LOG ID:****010514**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/11/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,352FT
<u>DRILL DEPTH:</u>	900FT	27N	24W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	360FT				453,295.79	4,099,800.47
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	140				FT	
<u>REMARKS:</u> OLD WELL DEEPENED 360-900'						



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010218**WELL TYPE

Private Well

DRILL DATE: 1948/09/01TOWNSHIPRANGESECTIONELEVATION:

1,369FT

DRILL DEPTH: 900FT

27N

24W

15

DEPTH TO BED: 245FTUTM XUTM Y

451,863.77

4,099,738.49

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:OLD WELL DEEPENED 245-900'; MGS OBSERVATION WELL  
12/6/1979 (SWL - 169')S.W.L. (AFTER CASING): 155**LOG ID:****011498**WELL TYPE

Private Well

DRILL DATE: 1951/01/01TOWNSHIPRANGESECTIONELEVATION:

1,381FT

DRILL DEPTH: 870FT

27N

24W

16

DEPTH TO BED: 35FTUTM XUTM Y

449,934.74

4,100,913.50

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:0.5 MI S OF BILLINGS; MANY MISSING INTERVALS IN  
MISSISSIPPIANS.W.L. (AFTER CASING):**LOG ID:****002973**WELL TYPE

Private Well

DRILL DATE: 1934/09/01TOWNSHIPRANGESECTIONELEVATION:

1,394FT

DRILL DEPTH: 125FT

27N

24W

20

DEPTH TO BED: 100FTUTM XUTM Y

448,077.74

4,097,870.53

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

AT BILLINGS

S.W.L. (AFTER CASING):**LOG ID:****011239**WELL TYPE

Private Well

DRILL DATE: 1950/03/09TOWNSHIPRANGESECTIONELEVATION:

1,359FT

DRILL DEPTH: 875FT

27N

24W

23

DEPTH TO BED: 235FTUTM XUTM Y

452,359.78

4,099,206.48

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

OLD WELL DEEPENED 235-875'; SWL 185' IN 1965.

S.W.L. (AFTER CASING): 150



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003034**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,270FT

DRILL DEPTH:

245FT

27N

24W

25

DEPTH TO BED:

15FT

UTM XUTM Y

454,553.81

4,096,893.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):**LOG ID:****004360**WELL TYPE

Private Well

DRILL DATE:

1937/08/02

TOWNSHIPRANGESECTIONELEVATION:

1,447FT

DRILL DEPTH:

752FT

27N

24W

31

DEPTH TO BED:

35FT

UTM XUTM Y

446,811.74

4,094,670.54

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:0.5 MI E OF MARIONVILLE; OLD WELL DEEPENED 337-752'  
(#17781)S.W.L. (AFTER CASING):

180

**LOG ID:****017781**WELL TYPE

Private Well

DRILL DATE:

1937/08/02

TOWNSHIPRANGESECTIONELEVATION:

1,447FT

DRILL DEPTH:

752FT

27N

24W

31

DEPTH TO BED:

35FT

UTM XUTM Y

446,811.74

4,094,670.54

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:0.5 MI E OF MARIONVILLE; OLD WELL DEEPENED 337-752'  
(#17781) -S.W.L. (AFTER CASING):

180

**LOG ID:****024173**WELL TYPE

Community Public Well

DRILL DATE:

1966/04/01

TOWNSHIPRANGESECTIONELEVATION:

1,368FT

DRILL DEPTH:

1,190FT

27N

24W

9

DEPTH TO BED:

45FT

UTM XUTM Y

450,583.75

4,102,134.50

ZONE 15

S.W.L. (BEFORE CASING):

170

FT

REMARKS:S.W.L. (AFTER CASING):

170

FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****028828**WELL TYPE

Community Public Well

DRILL DATE: 1998/08/23TOWNSHIPRANGESECTIONELEVATION:

1,352FT

DRILL DEPTH: 1,225FT

27N

24W

9

DEPTH TO BED:UTM XUTM Y

449,883.74

4,101,822.50

ZONE 15

S.W.L. (BEFORE CASING): 165 FTREMARKS:S.W.L. (AFTER CASING): 180 FT**LOG ID:****016081**WELL TYPE

Private Well

DRILL DATE: 1957/04/04TOWNSHIPRANGESECTIONELEVATION:

1,390FT

DRILL DEPTH: 352FT

28N

20W

32

DEPTH TO BED: 25FTUTM XUTM Y

486,380.19

4,104,819.13

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****018498**WELL TYPE

Private Well

DRILL DATE: 1959/06/12TOWNSHIPRANGESECTIONELEVATION:

1,339FT

DRILL DEPTH: 315FT

28N

20W

36

DEPTH TO BED: 35FTUTM XUTM Y

494,067.25

4,104,644.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI S OF ROGERSVILLES.W.L. (AFTER CASING): 150**LOG ID:****027014**WELL TYPE

Community Public Well

DRILL DATE: 1972/01/17TOWNSHIPRANGESECTIONELEVATION:

1,311FT

DRILL DEPTH: 1,370FT

28N

21W

33

DEPTH TO BED: 25FTUTM XUTM Y

478,887.13

4,103,685.15

ZONE 15

S.W.L. (BEFORE CASING): 133 FTREMARKS: formerly in name of Cassidy Water Company Well #2 - 3 MI N OF  
OZARK, 4 BLOCKS BEHIND COKE'S WESTERN WEARS.W.L. (AFTER CASING): 164 FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****020449**WELL TYPE

Private Well

DRILL DATE: 1961/04/24TOWNSHIP RANGE SECTION

28N 21W 36

ELEVATION: 1,374FTDRILL DEPTH: 408FTUTM X UTM YDEPTH TO BED: 20FT483,316.17 4,103,671.14  
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****015328**WELL TYPE

Private Well

DRILL DATE: 1956/08/01TOWNSHIP RANGE SECTION

28N 22W 31

ELEVATION: 1,282FTDRILL DEPTH: 385FTUTM X UTM YDEPTH TO BED: 30FT465,486.94 4,105,440.31  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****026933**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIP RANGE SECTION

28N 22W 35

ELEVATION: 1,261FTDRILL DEPTH: 1,270FTUTM X UTM YDEPTH TO BED: 35FT473,113.06 4,103,824.21  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Masterplanned Properties, Inc, Chalet City South;  
very poor samples below 450'; use with care.S.W.L. (AFTER CASING): 170**LOG ID:****019388**WELL TYPE

Private Well

DRILL DATE: 1960/11/14TOWNSHIP RANGE SECTION

28N 23W 31

ELEVATION: 1,307FTDRILL DEPTH: 550FTUTM X UTM YDEPTH TO BED: 40FT457,144.83 4,104,610.42  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 2 MI S OF REPUBLIC ON HWY PS.W.L. (AFTER CASING): 205



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****020243**WELL TYPE

Private Well

DRILL DATE: 1961/08/24TOWNSHIPRANGESECTIONELEVATION:

1,292FT

DRILL DEPTH: 350FT

28N

23W

31

DEPTH TO BED: 25FTUTM XUTM Y

456,544.82

4,104,610.43

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 112**LOG ID:****003869**WELL TYPE

Private Well

DRILL DATE: 1936/00/00TOWNSHIPRANGESECTIONELEVATION:

1,287FT

DRILL DEPTH: 229FT

28N

24W

31

DEPTH TO BED: 20FTUTM XUTM Y

447,406.70

4,104,390.52

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: BILLINGSS.W.L. (AFTER CASING):**LOG ID:****016211**WELL TYPE

Private Well

DRILL DATE: 1956/10/01TOWNSHIPRANGESECTIONELEVATION:

1,310FT

DRILL DEPTH: 590FT

28N

24W

34

DEPTH TO BED: 380FTUTM XUTM Y

451,693.75

4,105,763.48

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO SAMPLES 0-380'; OLD WELL DEEPENED ???S.W.L. (AFTER CASING):**CHRISTIAN**